

H Y L ()

EL CU

- MAR

10

and the second

17

HYLO, 105 Bunhill Row, London, EC1Y 8





			WELL BUTTON
			WELL BURNS
PREMIUM	OFFICE	SPACE SQ FT	Platinum ready
407 BIKE SPACES	394	BOD BAR	CERTIFIED PLATINUM
365 BASEMENT CYCLE STORE	RESIDENTIAL LOADING BAY AFFORDABLE WORKSPACE J RETAIL 16 SHEFFIELD RACKS BASED AT:	⁴ 26	BREEAM Hags Excellent

BUILDING DESIGN BY HCL ARCHITECTS AND INTERIOR DESIGN BY STIFF + TREVILLION



MINUTES WALK FROM
OLD STREET

θ

TYPICAL FLOORS OF c24,000 SQ FT AND c6,500 SQ FT



MINUTES WALK FROM MOORGATE FOR THE NEW ELIZABETH LINE

COMMUNAL ROOF TERRACE AND 3,207 SQ FT BUSINESS LOUNGE


11,443 SQ FT OF TERRACE SPACE ACROSS FOUR FLOORS

LARGE VOLUME DOUBLE **HEIGHT DESIGN-LED LOBBY** WITH LOUNGE SPACE + CAFÉ



WINDOW-ON-THE-WORLD **VIEWS ACROSS THE CITY**






Discover a building that will positively influence its occupants and visitors; a building that will always ensure they're ready for anything.






This is a place where old and new collide. From cutting-edge-cool Old Street and Shoreditch to the historically influenced City of London. The area is the epicentre of London's creative and collaborative industries and more popular than ever with many of London's forward thinking financial and professional occupiers. It provides the platform for both start-ups and global brands alike to shine, across digital media, financial, professional, retail, fin-tech and fashion sectors. Oozing progression and identity,this part of London lets you know you are somewhere special.







Indulge in a morning boost at one of the many coffee houses, head to Whitecross Street Market at lunch and sample one of London's best hubs for street food, and after work is done slip into somewhere more comfortable for a drink or two. On any given day, our surroundings allow you to tailor your work-life schedule to your advantage. Feel invigorated with a fitness work-out at boutique Blok, shop for high fashion, or grab a bite at the Barbican and stay for a film or exhibition. The possibilities are endless.









CAL

0







erved by three key London stations – Old Street, Liverpool Street and Moorgate - HYLO is your key to fast and easy access in, out and around the capital.

Over the next decade, the area will unlock a new era in connectivity when it becomes a major Crossrail destination. London City Airport can be reached within 38 minutes and all other major London airports in approximately an hour.

LIV

ER

ST

 $\Theta \Theta \Theta$

||| ₹

9 mins

4 mins

🖈 WALKING

CYCLING

NK \ominus III

> 15 mins ⊖ VIA NORTHERN LINE

BA

6 mins CYCLING

GD $\ominus \ominus \parallel$

FA

RR

IN

₹ T/

8 mins

4 mins

CYCLING

➡ VIA CIRCLE LINE FROM MOORGATE

LDN JR GF ⊖∥ **₹** T/

LDN

CI

TΥ

VIA

RAIL

38 mins

NATIONAL

16 mins ➡ VIA NORTHERN LINE FROM MOORGATE

11 mins CYCLING

5 mins 📌 WALKING

 \mathbf{O}

2 mins S CYCLING

6 mins 🖈 WALKING

₹

MO

G۵

 $\ominus \ominus ||||$

R

3 mins CYCLING

₹

D

ST AN ST ED

HE AT HR **OW**

56 mins

STANSTED EXPRESS

VIA

41 mins VIA ELIZABETH LINE

TW ICK

GA

55 mins VIA NATIONAL RAIL

KI NG SX



12 mins ➡ VIA NORTHERN LINE FROM OLD STREET




WA ┣ \ominus |||| ₹

ΥLΟ

21 mins ➡ VIA NORTHERN LINE FROM MOORGATE

16 mins So CYCLING






Key




Local occupiers






A nev beginn

YLO offers 258,000 sq ft of premium office space on 28 floors and 17,000 sq ft of retail space. One of London's most exciting new buildings, HYLO boasts high rise tower floors and large efficient podium floors plus roof gardens and new public space. Welcome to London's future workplace.











Platform to









Floor	Use	sq ft	sq m	Terrace	sq ft
28	Office	5,712	531		
27	Office	5,977	555		
26	Office	6,040	561	-``_'	420
25	Office	UNDER	OFFER	•	
24	Office	6,550	609		
23	Office	6,550	609		
22	Office	6,550	609	•••••	
21	🚯 Beamery	LET	•••••	••••••	
20	R Beamery	LET	•••••	••••••	
19	Office	6,550	609	•••••••	
18	Office	6,550	609	•••••••	
17	Cero°	LET	••••••	••••••	
16	PRO Unlimited	LET	••••••	-;¢-	452
15	Office	7,101	660	••••••	
14	Office	7,101	660	••••••	
13	Office	7,100	660	••••••	
12	Office	7,100	660	••••••	
11	KNOTEL	LET	•••••	••••••	
10	KNOTEL	LET	•••••	••••••	
9	KNOTEL	LET	••••••		
8	KNOTEL	LET	••••••		
7	Office	3,457	321	-;ċ;-	3,250
	Business Lounge	3,207	298	-\X-	4,500
6	Office	16,264	1,511	·····	
5	Office	18,357	1,706	••••••	
4	Office	18,348	1,705	-××-	2,821
3	Office	24,539	2,279	••••••	
2	Office	24,484	2,275		
1	Office	13,548	1,259		
Ground	Retail*	10,335	960		
	Reception	5,846	543		
Basement		6,477	602		
TOTAL OFFIC	E	197,878	18,383		
TOTAL RETAIL		16,942	1,574	·····	

*Retail reflected in Gross Internal Areas (GIA)



This is just a selection of possibilities, the building offers ultimate flexibility in any combination of floors.




Floors 3-6 & 27-28:

Floor 16–18: 19,650 sq ft Floors 3-5:

61,244 sq ft








Basement RETAIL: 6,477 SQ FT / 602 SQ M

Соге






P L A N S

BUNHILL ROW













Reception	Соге	Lifts	Retail
-----------	------	-------	--------




UNHILL ROM












Floor 1 13,548 SQ FT /1,259 SQ M

Office Core Lifts Affordable

* First floor incorporates escalator landing zone.

Floor plans not to scale. For indicative purposes only.



#

P




НΥГΟ N G

Typical floor 2-3* 24,484 SQ FT / 2,275 SQ M - 24,539 SQ FT / 2,279 SQ M

Core Lifts Office

* First floor incorporates escalator landing zone.

Floor plans not to scale. For indicative purposes only.



 μ_{--}




Т \prec -0

Typical floor 4–6*
18,348 SQ FT / 1,705 SQ M - 16,264 SQ FT / 1,511 SQ M
TERRACE: 2,821 SQ FT / 262 SQ M

Office Core Lifts Terrae		Office	Соге	Lifts	Теггасе
--------------------------	--	--------	------	-------	---------

* Terrace on fourth floor only. Level 6 is currently under offer.


Floor plans not to scale. For indicative purposes only.




Loong

BUNHILL ROM







FLOORPLANS




7th floor OFFICE: 3,457 SQ FT / 321 SQ M BUSINESS LOUNGE: 3,207 SQ FT / 298 SQ M





* Level 7 is currently under offer.


Floor plans not to scale. For indicative purposes only.






НΥГΟ N






Typical floor 12–15

Office Core Lifts




N




BUNHILL ROW

Typical floor 18-25

Office	Соге	Lifts
--------	------	-------



N




BUNHILL ROW

26

26th Floor 6,040 SQ FT / 561 SQ M TERRACE: 420 SQ FT / 39 SQ M

Office Core Lifts Terrace




N


нүго / <mark>33</mark>

Duplex Floors 27–28 5,977 SQ FT / 555 SQ M + 5,712 SQ FT / 531 SQ M






LEVEL 28:







Level 26 Private Terrace

FLOORPLANS


SP2

Legal / Corporate

24,484 SQ FT / 2,275 SQ M

DENSITY 1:13 SQ M	
6P MEET 8	
4P MEET 2	
2P FOCUS 11	
1P FOCUS 1	
COPYPOINT 2	
TEAPOINT 1	
BREAKOUT 1	
COMMS ROOM 1	
OFFICE SERVICE CENTRE 1	
STORE 2	
ROLLER RACKING 1	





BUNHILL ROW



НҮLO / **36**

FLOORPLANS

SPB


TMT / Creative

24,539 SQ FT / 2,278 SQ M

OPEN PLAN (1600MM DESK)	252
HEADCOUNT	252
DENSITY	1:8 SQ M
8P MEET	5
6P MEET	3
4P MEET	2
3P MEET	1
2P FOCUS	1
1P FOCUS	1
COPYPOINT	4
TEAPOINT	2
COMMS ROOM	1
OFFICE SERVICE CENTRE	1
STORE	2
LOCKERS	-
COATS	-



Floor plans not to scale. For indicative purposes only.



UNHILL ROV



HYLO / 37

Cat B option

Fully fitted and furnished / Glass fronted meeting rooms / Breakout spaces / Communal tea point / Audio Visual / IT coordination / Comms room with dedicated cooling / Access to private South facing terrace / Panoramic views.







No MI


IIIIIIIIIIII





16th floor

OPEN PLAN (1600MM DESK) 58 16P BOARDROOM 1 6P MEETING ROOM 1 2 **5P ZOOM POD MEETING ROOMS 4P MEETING SPACES** 2 **2P INFORMAL MEETING SPACES** 3 PHONE BOOTHS 2 TEAPOINT 1 COPY AREA 1 COMMS ROOM 1 END OF DESK BANK STORAGE UNITS 7 COLLABORATION TABLE STORAGE UNITS 2 LOCKER SET 1





N

BUNHILL ROM











394 lockers and 30 showers make it easy to cycle to work





The opportunity for a regime of daily fitness-as-you-work begins as soon as the building is accessed. High quality indoor air supports overall wellbeing, whilst maximum sunlight boosts mental health, and glare control enhances visual comfort. Optimum acoustic and thermal settings ensure complete comfort is assured. By engaging and promoting stakeholder engagement, wellness awareness and a connection to nature, HYLO provides a basecamp for brilliance, every day.





DOWNLOAD HYLO's Health & Wellbeing brochure here.



YLO is the perfect environment designed to positively influence health and well-being.





HYLO is officially registered to pursue WELL Core and Shell certification, with an ambitious target to achieve GOLD rating. Because HYLO will be a home from home, the space has been designed to have a positive effect on the health and wellbeing of its occupants. Here's how it will help make you the best you can be:









Gold

Platinum ready

owate -Ò́-**TTTNESS ACOMFOI**

High ventilation rates, filtration, moisture control and constant monitoring and reporting ensures superior indoor air quality. Good indoor air quality automatically leads to lower health care costs and better productivity.

Tenants at HYLO have access to high quality, clear and good-tasting water which encourages proper hydration. The building also has built-in capacity for water filtration systems for future occupiers.

Maximum sunlight boosts mental health and glare control enhances visual comfort. Systems including daylighting and enhanced colour quality lead to reduced fatigue and better productivity.


Intermittent bouts of physical activity are encouraged at HYLO by accessible nearby green spaces and nearby gym facilities.

At HYLO, acoustics, thermal settings and accessibility have all been considered, leading to a workplace whose staff have better concentration and communication.

HYLO's incorporated mind features help support cognitive and emotional health. The connection to nature will promote better mental health and also reduce the risk of cardiovascular disease.







1.1 Superstructure

The existing structure comprises a reinforced concrete cast in-situ frame and floors. The new structure is a combination of in-situ concrete and steel frame construction. The existing frame is based on a 1.524m (5 foot) module and is maintained throughout. Columns are generally at 6.096m (20 foot) and 7.620mm (25 foot) spacings.

1.2 Façade

The façades are comprised of fixed high-performance double-glazing set in bronze finished aluminium framing. These are expressed using a double storey format within a brick frame.

1.3 Floor Loading

Office areas: Partition load: Ceiling and services:

2 <mark>.1 B</mark> ι	uilding <mark>Ent</mark> i	anc	•
directly f A protec defines t en <mark>trance</mark>	azed automatic rom Bunhill Row tive canopy prov he entrance. Po is via the cycles 's Buildings.	to rec ides sh st and s	eption. Ielter an courier
2.2 Office Reception and Lift Lobbies			

The reception area is a bespoke design incorporating reception, waiting, amenity, and meeting areas.

The reception desk is of contemporary design with minimal visible electronic equipment and the ability to reposition for events.

Subject to final letting strategy, it is proposed that an independent café with informal seating will sit within the reception area.

Feature lighting is incorporated throughout defining level changes, columns and to areas where artwork can be displayed. Light also illuminates the ceiling surfaces maximising the perception of volume.

A palette of high quality natural and man-made floor materials and wall finishes flow through from the reception into lobbies and lift car interiors creating a contemporary and innovative feel.

Discreet security gates have been installed. Two escalators will provide access to the first-floor lobby area.

2.3 Lifts

The tower and podium are served by two separate passenger lift banks located in the main reception.

Lift car finishes are integrated with reception areas and office communal areas.

Podium lifts

Serve levels 1-7 from the ground floor reception.

3No 20 person (1600kg) 2.5 m/s lifts.

Tower lifts

Double Decker Passenger lifts (upper and lower deck) travelling within four shafts servicing levels 7-27 from ground floor and mezzanine floor reception spaces.

4No Double Decker 24 person (1800kg) with a speed of 6 m/s.

Escalators 2.5kN/sa m

1.0kN/sq m 2No Escalators travelling between ground 0.85kN/sq m and mezzanine level.

Goods lift

A 2000kg goods li including basem

Fire Fighting

A 13-person (10 efighting lift d L28. serves all floors

2.4 Cyclists' Facilities

and Showers

365 secure cycle in the basement acce street and reception via a lift and a 'Dutch ramp' staircase. A further 42 spaces are provided externally for visitors.

A further provision of 26 dedicated internal cycle spaces for retail are available

In addition, there is provision for a 32-bike cycle hire station adjacent on Bunhill Row.

30 shower cubicles (12 male, 12 female, and 6 unisex), 394 lockers, and drying rooms are provided in the basement adjacent to the cycle storage.

2.5 Loading Bay

The loading bay is shared between the office and retail spaces. It has capacity for a large refuse vehicle or 10m rigid lorry (4.3m max headroom), a 7.5t box van or two panel vans.

The loading bay is linked to the office goods lift and refuse storage via two large capacity shuttle lifts.

There is a direct connection between the loading bay and the northern retail units.

2.6 Parking

Two on-street disabled parking spaces are available

2.7 Back of House Facilities

A post and fire control room is provided at ground floor, in addition to a manager's office, other store rooms and staff facilities

2.8 Refuse

A central basement waste, recycling and storage area with compacting facilities is provided, which can be located between the goods lift serving all office floors and the shuttle lifts to the loading bay.

3.1 Planning Grid

1.524m (5 foot) grid to suit existing structure. This allows offices on either 3.048m (10 foot) or 4.572m

Occupancy Level rovide for n per 8 sq m inte floors 1 to

r by flo nd heating and cooling ed on an occupancy leve per 8 sq m throughout.

are unisex superloop

Means of escape is based on occupancy of 1 person per 6 sq m.

3.3 Office Floor Nominal Dimensions

Raised floor zone (including floor panel): 115mm

Level	Slab to Slab (Storey)	Soffit
L1–15	3350mm	2930mm

L16-27	3350mm	3045mm
L28	4800mm	4250mm

Level	FFL to underside of MEP	FFL to Ceiling
11 07	0600mm	0550mm

L1-27	2600mm	2550mm
L28	3700mm	3600mm

All target floor to ceiling/soffit height dimensions are subject to construction tolerances.

3.4 Cat A Offices

Floors L1-28

galvanized steel encased tiles mounted on adjustable pedestals, medium grade.

Fully accessible raised modular floor

system consisting of 600mm x 600mm

Plasterboard with emulsion paint finish.

Walls L1-28

Painted flush MDF skirtings with shadow gap detailing or expressed concrete.

Ceilings Typical Podium L1–L6: Concrete Super Structure

Concrete soffit and exposed services with an option to provide a plasterboard margin.

Ceilings Typical Tower L7-L15: Concrete Super Structure Concrete soffit and exposed services

with plasterboard margin to perimeter. Ceilings Typical Tower L16-L28: Steel Super Structure

Profiled steel deck soffit with plasterboard margin to perimeter and a zoned steel mesh suspended ceiling.

Doors L1-28 frames with sh ap detailing frames to ris doors and cor

oated frames; full um po height sealed e glazed. 3.5 Wired Score Level

na is tar

3.6 WELL Standard

HYLO is officially registered to pursue WELL Core and Shell certification, with an ambitious target to achieve GOLD rating.

3.7 Toilets / Toilet Lobbies Finishes

Floors

Large format porcelain tiles.

Walls

Plasterboard with matt paint finish to lobbies, three-guarter height ceramic tiled walls to toilets.

rames with shadow gap detailing to main

oors and concealed frames to riser

White ceramic WCs and basins, matt

black plated taps and exposed traps.

Ceilings

Painted plasterboard on a suspended grid. Doors Solid core with satin paint finish. Flush

Fittings

Matt black fittings.

nm	2550mm	frames	
ım	3600mm	doors	
		doors.	

3.8 Stairs

Precast concrete with cast-in nosings.

Landings

Stairs

Non-slip floor finish to match stairs.

Walls Sealed slip form concrete.

Ceilings Precast concrete.

Doors

Solid core with satin paint finish. Flush frames with shadow gap detailing to main doors and concealed frames to riser doors.

4.1 Cat A Offices Systems

Air conditioning by four pipe ceiling mounted fan coil units fed from central heating and chilled water systems.

Fresh air to podium levels (L1–L6) are supplied by central plant and on tower floors (L7–L28) via local ceiling mounted heat recovery ventilation unit <mark>s.</mark>	I
Metering of LTHW and chilled water allows for two tenancies on each podium level and a singl tenancy on tower levels.	е
4.2 Cat A <mark>Offic</mark> es Performan <mark>ce</mark>	
External design conditions	h

-4.0°C satu 5.5 Voice/Data

12I/s/person

12I/s/person

8ac/hr extract

12ac/hr extract

10ac/hr supply

25W/sq m

10W/sq m

NR38

NR40

NR45

(+10% for meeting rooms)

Internal design conditions

Ventilation rates

Cat A Offices

Showers and

Heat gains

Lighting:

(north core).

Noise

changing rooms:

Small power equipment:

Cat A offices (open plan):

Reception and circulation:

Future tenant kitchen

Toilets, showers, changing rooms:

Gas facility and provision for kitchen extract

riser to podium roof level to suit office kitchen.

Extract provision from any podium office level

Reception:

Toilets:

Summer:	23°C + 2°C
Winter:	21°C ± 2°C
Circulation and toilets	18°C + 2°C
(heating only): Showers and changing rooms	s:24°C + 2°C

6.1 Sprinklers

500lux 300lux Toilets, showers, changing rooms: 200lux Stairs: 100lux

5.1 Design Criteria

Liahtina

Lighting:

Small power:

Cat A office areas:

Reception (desk area):

Electrical Loadings

Small power (locally):

5.2 Lighting

Office accommodation incorporates high

efficiency low energy LED fittings arranged

500lux, compatible with CIBSE LG7 guide.

5.3 Low Voltage Installation

tenants' loads with tenants' distribution boards

including small power miniature circuit breakers.

cies on each podium level and

metering for tenants' and la

all with remote reading and

allow for tenants' voice/data requirements.

Incorporated within the primary luminaries

with integral battery packs to meet BS5266

recommendations and the requirements for

A generator has been installed to provide back-

The life safety generator also provides an

powered UPS as part of tenant fit out.

The building has power resilience via two

5.6 Emergency Lighting

5.7 Emergency Power

up power to life safety equipment.

means of escape.

net lettable area.

separate incoming feeds.

Rising main bus bars systems for

rical services d

n tower levels

5.4 Metering

via

to give a standard service illumination of 400-

The entire building has been sprinklered to BS EN 12845. Wet risers are provided in the north, east and south cores.

6.2 Fire Detection and Alarm

10W/sq m

25W/sq m

15W/sq m

oution allows

An automatic fire detection system linked to mechanical and lift services complying with BS5839 will be provided.

6.3 Access Control System

A card/fob type access control system linked to external doors, security access system and the lift control system will be installed.

Lighting is controlled by dimmable lighting control 6.4 CCTV System system with photocells and/or presence detectors.

> A CCTV system provides monitoring of landlord's areas internally including entrances and exits. External areas in the immediate vicinity are also covered.

6.5 Lightning Protection

s been installed.

FAS

<mark>R</mark>etail Un<mark>its</mark>

arranged in two space has f subdivis to six units. The n end hav ct rear access to g bay. The units are provided with sho front glazing and completed to shell and core.

Duplicate communications/data risers to each demise are provided equipped with cable trays for fibre cable from incoming telecom rooms, to

7.2 Floor Loading

Retail areas: 3.0kN/sg m 1.0kN/sg m Partition load: Ceiling and services: 2.0kN/sq m

7.3 Clear Heights -**Ground Floor Retail Space**

100mm allowance for tenants floor finishes.

4650mm finished floor level to structural soffit

allowance for podium office tenants' comms room backup of 500W per sq m over 3% of the

Tenants' SERs on tower levels will have battery

7.4 Retail Services

Capped off metered services are provided. These will include:

- Water
- Electricity
- LTHW heating - Chilled water
- Sprinklers
- Telecoms containment
- Link to fire alarms

Provision for gas if requested to a max of two A3 units.

Ventilation generally via louvres on façade. Provision for two units to have kitchen extract risers to podium roof level.

8.1 Targets

BREEAM: CO2 Emissions: EPC:

Excellent 35% below 2013 PartL A rating

8.2 Facilities



275,000 sq ft of Hell Yeah!

HYLO, **105 Bunhill Row**, London EC1Y 8LZ

Please contact the joint agents for more information. Only the brilliant need apply.



Tim Williams +44 (0)7717 576 894 tim.williams@realestate.bnpparibas

Philip McKenna +44 (0)7774 659 597 philip.mckenna@realestate.bnpparibas



Tim Plumbe +44 (0)7768 146 280 tim.plumbe@cushwake.com

Tom Fayers +44 (0)7973 821 247 tom.fayers@cushwake.com

Joel Randall +44 (0)7525 897 012 joel.randall@cushwake.com



Compton

Elliott Stern +44 (0)7834 918700 es@compton.london

Emma Higgins +44 (0)7769 605 295 eh@compton.london

this property. September 2022.

ents or distances referred to herein are approximate only. All texts, photographs, layouts and computer-generated images are for illustrative purposes only and solely intend to serve as a guide as to how the property may look and may be subject to any change at any time. Floor plan illustrations are indicative only. Space plan illustrations show indicative only. All finishes are indicative, subject to final specification and selection.

Designed by Stepladder. stepladderuk.com

DISCLAIMER: Compton, Cushman & Wakefield & BNP Paribas Real Estate give notice that these particulars are set out as a general outline only for the guidance of intending Purchasers or Lessees and do not constitute any part of an offer or contract. Details are given without any responsibility and any intending Purchasers, Lessees or Third Party should not rely on them as statements or representations of fact, but must satisfy themselves by inspection or otherwise as to the correctness of each of them. No person in the employment of Compton, Cushman & Wakefield & BNP Paribas Real Estate has any authority to make any representation or warranty whatsoever in relation to



