



O3 FACTS 05 INTRO

06 LONDON

08 LOCAL 13
BUILDING

21 VIEWS

23
WELLNESS

27 PLANS

48 SPEC

49 CONTACT

PREMIUM OFFICE SPACE 394 SISSERIES



BUILDING DESIGN BY HCL ARCHITECTS AND INTERIOR DESIGN BY STIFF + TREVILLION **06** e MINUTES WALK FROM MOORGATE (ELIZABETH LINE)







OLD STREET

HY-LOUNGE, A 3,207 SQ FT **DEDICATED BUSINESS LOUNGE** FOR HYLO TENANTS, WITH MEETING ROOMS, BREAK OUT SPACE AND TERRACE ACCESS

11,443 SQ FT OF TERRACE SPACE ACROSS FOUR FLOORS

LARGE VOLUME DOUBLE **HEIGHT DESIGN-LED LOBBY** WITH LOUNGE SPACE + CAFÉ



RETAIL SPACE ᇤ SQ

TYPICAL FLOORS OF c24,000 SQ FT AND c6,500 SQ FT

WINDOW-ON-THE-WORLD **VIEWS ACROSS THE CITY**

CYCLE PROVISION



LOCAL

LONDON

AN AWARD-WINNING BASECAMP FOR BRILLIANCE

Award 01

THE RICS AWARD FOR THE 'BEST COMMERCIAL DEVELOPMENT'

With full-fibre connectivity, resilient cyber security systems and a bespoke building app built in as standard, our cutting-edge technology will help you work smarter, not harder.



Award 02

THE SUPREME AWARD FOR STRUCTURAL ENGINEERING EXCELLENCE

Commended for using only the most essential strengthening works necessary to save carbon on the extension in our structural retrofit to maximise the building's potential.



Award 03

THE TALL BUILDING
AWARDS NAMED HYLO
'BEST MIXED-USE BUILDING'

We've mixed it up by integrating office, retail and residential. We're helping transform the neighbourhood into an area that is vibrant 24/7 all year round.



Award 04

HYLO WAS ALSO CROWNED 'WINNER OF WINNERS' BY THE TALL BUILDING AWARDS

We've been recognised for an innovative design and a sustainable approach by re-configuring and extending around the superstructure of the original building.











Discover a building that will positively influence its occupants and visitors; a building that will always ensure they're ready for anything.







LONDON



Indulge in a morning boost at one of the many coffee houses, head to Whitecross Street Market at lunch and sample one of London's best hubs for street food, and after work is done slip into somewhere more comfortable for a drink or two. On any given day, our surroundings allow you to tailor your work-life schedule to your advantage. Feel invigorated with a fitness work-out at boutique Blok, shop for high fashion, or grab a bite at the Barbican and stay for a film or exhibition. The possibilities are endless.
























FA

RR

→ → |||

8 mins

♦ VIA CIRCLE LINE FROM MOORGATE

₹ T/

The area now benefits from new connectivity as it becomes a major Crossrail destination. London City Airport can be reached within 38 minutes and all other major London airports in approximately an hour.

LIV ER BA





★ WALKING

0 |

2 mins CYCLING





6 mins * WALKING

3 mins CYCLING



9 mins

* WALKING

4 mins CYCLING



15 mins * WALKING

6 mins

CYCLING

4 mins CYCLING



38 mins VIA NATIONAL RAIL

ST HE AT ST HR ED **OW**

56 mins 55 mins STANSTED ELIZABETH **EXPRESS** LINE

ICK 50 mins VIA NATIONAL

RAIL

GA

TW





16 mins

♦ VIA NORTHERN LINE FROM MOORGATE

11 mins CYCLING





12 mins

♦ VIA NORTHERN LINE FROM OLD STREET

13 mins CYCLING









⊖ VIA NORTHERN LINE FROM MOORGATE

16 mins

CYCLING








collaboration

A new beginn

YLO offers 258,000 sq ft of premium office space across 28 floors and 17,000 sq ft of retail space. One of London's most exciting new buildings, HYLO boasts high rise tower floors and large efficient podium floors plus roof gardens and new public space. Welcome to London's future workplace.









Platform to







External and internal storage for 407 bikes, including 76 Brompton Lockers in the basement





YLO is the perfect environment designed to positively influence health and well-being.

394 lockers and 30 showers make it easy to cycle to work





The opportunity for a regime of daily fitness-as-you-work begins as soon as the building is accessed. High quality indoor air supports overall wellbeing, whilst maximum sunlight boosts mental health, and glare control enhances visual comfort. Optimum acoustic and thermal settings ensure complete comfort is assured. By engaging and promoting stakeholder engagement, wellness awareness and a connection to nature, HYLO provides a basecamp for brilliance, every day.



HYLO is officially registered to pursue WELL Core and Shell certification, with an ambitious target to achieve GOLD rating. Because HYLO will be a home from home, the space has been designed to have a positive effect on the health and wellbeing of its occupants. Here's how it will help make you the best you can be:









High ventilation rates, filtration, moisture control and constant monitoring and reporting ensures superior indoor air quality. Good indoor air quality automatically leads to lower health care costs and better productivity.

Tenants at HYLO have access to high quality, clear and good-tasting water which encourages proper hydration. The building also has built-in capacity for water filtration systems for future occupiers.

Maximum sunlight boosts mental health and glare control enhances visual comfort. Systems including daylighting and enhanced colour quality lead to reduced fatigue and better productivity.

Intermittent bouts of physical activity are encouraged at HYLO by accessible nearby green spaces and nearby gym facilities.

At HYLO, acoustics, thermal settings and accessibility have all been considered, leading to a workplace whose staff have better concentration and communication.

HYLO's incorporated mind features help support cognitive and emotional health. The connection to nature will promote better mental health and also reduce the risk of cardiovascular disease.

HYLO is well

Certified to the highest standard

The WELL Building Standard is all about delivering more thoughtful spaces that enhance health and wellbeing.

It's an accreditation backed by the latest scientific research into how to make sure a building like HYLO is committed to caring for the people who use it.

The

For the people

People are at the heart of HYLO. WELL guidance has been incorporated in the design, making health and wellness the central theme of the building.



highest


Leading the way

Because of the robust standards applied to the whole building, 'credits' can be passed to occupiers in helping to achieve their own WELL fit-out accreditation.

Future proo

The accreditation represents a commitment to operational quality so that the building's systems continue to perform for the long term.

standards



HYLO is smart

Allthe

Super-fast guest WiFi in public spaces that's free and safe

Ready installed full-fibre connectivity to all floors

Instant access to telecom providers if required



On floor WiFi and mobile telecommunications if required essentials

covered



Building-wide fully resilient, fully managed, cyber secure network


Full integration with BMS to enable Smart"bolt on" services

SCHEDULE OF AREAS

Floor	Use	sq ft	sq m	Terrace	sq 1
28	Duplex Office	5,712	531		
27	Duplex Office	5,977	555		
26	Office – Under Offer	6,040	561	- <u>`</u> \.	42
25	Office – Let	6,551	609		
24	Office – Let	6,550	609		
23	Office – Let	6,550	609		
22	Office – Let	6,550	609		
21	Office – Let	6,550	609		
20	Office – Let	6,550	609		
19	Office – Let	6,550	609		
18	Office - Let	6,550	609		
17	Office – Let	6,550	609		
16	Office – Let	6,550	609	-;\:\!-	45
15	Office – Let	7,101	660	••••••	
14	Office – Let	7,101	660	••••••	
13	Office – Let	7,100	660	••••••	
12	Office – Let	7,100	660	••••••	
11	Office – Let	7,091	659	••••••	
10	Office – Let	5,664	526	••••••	
9	Office – Let	7,088	658	••••••	
8	Office – Let	6,842	636	••••••	
7	HY-LOUNGE	3,207	298	- <u>`</u> \.	4,50
	Office – Let	3,457	321	->-\-	
6	Office – Let	16,264	1,511	•••••••••••••••••••••••••••••••••••••••	
5 South	Office – Let	18,357	1,706	••••••	
5 North	Office - Available	6,182	574	•••••••••••••••••••••••••••••••••••••••	
4	Office – Let	18,348	1,705	- <u>`</u> \.	2,82
3	Office - Available	24,539	2,279	•••••••••••••••••••••••••••••••••••••••	
2	Office - Available	24,484	2,275	••••••	
1 South	Office - Available	8,797	817	•••••••••••••••••••••••••••••••••••••••	
1 North	Office – Let	13,548	1,259		
Ground	Retail*/Office - Available	10,335	960	•	
	Reception	5,846	543	••••••	
Basement	Retail*/Office - Available	6,477	602		
TOTAL AVAILABLE OFFICE		75,691	6,978		
TOTAL AVAILABLE RETAIL*		16,812	1,562		

*Retail reflected in Gross Internal Areas (GIA)





RETAIL: 6,477 SQ FT / 602 SQ M


CYCLE SPACES 407
SHOWERS 30
LOCKERS 394


Bike Store / End of Trip Facilities

Lifts Retail Core

o [







FACTS

INTRO

LONDON

LOCAL

BUILDING

VIEWS

WELLNESS

PLANS

SPEC

CONTACT

FLOORPLANS




Ground floor

RECEPTION: 5,846 SQ FT / 543 SQ M RETAIL: 10,335 SQ FT / 1,562 SQ M

Reception

Core Lifts

Retail







HY-LOUNGE

On level 7, the HY-Lounge is a new 3,000 sq ft state-of-the-art multi-purpose event, meeting and lounge space, with direct access to a 4,500 sq ft landscaped roof garden.

HY-Lounge

3,207 SQ FT / 298 SQ M

24P MEET	1
20P MEET	1
16P FOCUS	1
40P+ AUDITORIUM	1
TEAPOINT	1
2P BREAKOUT	8
3-4P BREAKOUT	6

Office


HY-Lounge

HY-Lounge Communal Terrace

Office Private Terrace

Соге

Lifts









FACTS

INTRO

LONDON

LOCAL

BUILDING

WELLNESS

CONTACT

FLOOR PLANS



Split Floor Option

NORTH: 10,280 SQ FT / 955 SQ M SOUTH: 13,374 SQ FT / 1,243 SQ M

Office North

Office South

Соге

North: 10,280 SQ FT / 955 SQ M South: 13,374 SQ FT / 1,243 SQ M



Floor plans not to scale. For indicative purposes only.

INTRO

LONDON

LOCAL

BUILDING

WELLNESS

CONTACT

FLOOR PLANS




Split Floor Option

NORTH: 10,280 SQ FT / 955 SQ M SOUTH: 13,374 SQ FT / 1,243 SQ M

Office North

Office South

Соге








Split Floor Option

NORTH: 6,182 SQ FT / 574 SQ M SOUTH: LET

Office North

Let

Соге



South: LET







Split Floor Option

NORTH: 8,080 SQ FT / 751 SQ M **SOUTH: 8,118 SQ FT / 754 SQ M**

Office North

Office South

Соге



North: 8,080 SQ FT / 751 SQ M South: 8,118 SQ FT / 754 SQ M

* Terraces on fourth floor only.

(South)

Split Duplex - Floor Option

SOUTH - LEVEL 6: 8,118 SQ FT / 754 SQ M **SOUTH - LEVEL 7: 3,457 SQ FT / 321 SQ M**

Office


HY-Lounge

Staircase Between Floors*


Office Private Terrace

Соге

Communal Terrace



LEVEL 6 (SOUTH)




*Indicative Only Floor plans not to scale. For indicative purposes only.



CONTACT

FLOOR PLANS




Split / Duplex Floor Option


WHOLE FLOOR - LEVEL 6: 16,264 SQ FT / 1,511 SQ M SOUTH - LEVEL 7: 3,457 SQ FT / 321 SQ M

Office HY-Lounge Staircase Between Floors*

Core Lifts Office Private Terrace


Communal Terrace






LEVEL 7 (SOUTH)

*Indicative Only
Floor plans not to scale. For indicative purposes only.



HYBRID CEILING




Office Private Terrace

FLOORPLANS

7th floor
OFFICE: 3,457 SQ FT / 321 SQ M

Office HY-Lounge Lifts Core

HY-Lounge Communal Terrace



N


PLANS

/ 43

Typical floor 12–14

7,100 SQ FT / 660 SQ M - 7,101 SQ FT / 660 SQ M

Office Core Lifts



SUNHILL ROW

TYPICAL FITTED FLOOR

Fully fitted and furnished / Glass fronted meeting rooms / Breakout spaces / Communal tea point / Audio Visual / IT coordination / Comms room with dedicated cooling / Panoramic views



TYPICAL TOWER FLOORPLATE


6,550 SQ FT / 609 SQ M

DESKS (1200 X	800)	56
HOT DESKS		16
12P MEETING R	оом	1
8P MEETING RO	ОМ	1
4-8P COLLABOR	RATION AREAS	6
PHONE BOOTHS	3	2
TEAPOINT		1
TEAPOINT SEAT	's	30
>4P SOFT SEAT	BREAKOUT AREAS	2
PRINT AREA		1
COMMS ROOM		1

Office

Соге










Typical floor 19–24

6,550 SQ FT / 609 SQ M

Office

Core Lifts




26th Floor

6,040 SQ FT / 561 SQ M TERRACE: 420 SQ FT / 39 SQ M

Office

Соге

Теггасе






Duplex Floors 27–28

5,977 SQ FT / 555 SQ M + 5,712 SQ FT / 531 SQ M


Office

Core Lifts

LEVEL 28:




LEVEL 27:



CONTACT





Level 26 Private Terrace

INTRO

LONDON

LOCAL

BUILDING

VIEWS

WELLNESS

CONTACT

SPACE PLANS

Legal / Corporate

24,484 SQ FT / 2,275 SQ M

OPEN PLAN (2M RETURN)	168
HEADCOUNT	168
DENSITY	1:13 SQ M
6P MEET	8
4P MEET	2
2P FOCUS	11
1P FOCUS	1
COPYPOINT	2
TEAPOINT	1
BREAKOUT	1
COMMS ROOM	1
OFFICE SERVICE CENTRE	1
STORE	2
ROLLER RACKING	1


Office

Соге



Lifts









INTRO

LONDON

LOCAL

BUILDING

VIEWS

WELLNESS

PLANS

SPEC

CONTACT

SPACE PLANS

TMT / Creative


24,539 SQ FT / 2,278 SQ M


OPEN PLAN (1600MM DESK)	252
HEADCOUNT	252
DENSITY	1:8 SQ M
8P MEET	5
6P MEET	3
4P MEET	2
3P MEET	1
2P FOCUS	1
1P FOCUS	1
COPYPOINT	4
TEAPOINT	2
COMMS ROOM	1
OFFICE SERVICE CENTRE	1
STORE	2
LOCKERS	-
COATS	-

Office

Соге

Lifts





0











INTRO

LONDON

LOCAL

BUILDING

VIEWS

WELLNESS

PLANS

SPEC

CONTACT

SPACE PLANS

Split floorplate


8,200 SQ FT / 762 SQ M

FIXED DESKS (1200MM X 800MM)	74
RECEPTION	5P WAITING AREA
10P MEET	2
8P MEET	0
6P MEET	1
5P MEET	2
4P MEET	0
1P FOCUS	3
4P BOOTHS	0
FOCUS POINT	17
BREAKOUT/COLLAB	34P
PRINT POINT	1
COMMS	1
COATS (1200MM)	2



Теггасе

Соге













1.2 Façade

The façades are comprised of fixed high-performance double-glazing set in bronze finished aluminium framing. These are expressed using a double storey format within a brick frame.

1.3 Floor Loading

2.5kN/sq m Office areas: Partition load: Ceiling and services: 0.85kN/sq m

REC

2.1 Building Entrance

zed automati rom Bunhill Row tive canopy prov elter and he entrance. Pos courier is via the cycles nce s Buildings

2.2 Office Reception and Lift Lobbies

The reception area is a bespoke design incorporating reception, waiting, amenity, and meeting areas.

The reception desk is of contemporary design with minimal visible electronic equipment and the ability to reposition

Subject to final letting strategy, it is proposed that an independent café with informal seating will sit within the reception area.

Feature lighting is incorporated throughout defining level changes, columns and to areas where artwork can be displayed. Light also illuminates the ceiling surfaces maximising the perception of volume.

A palette of high quality natural and man-made floor materials and wall finishes flow through from the reception into lobbies and lift car interiors creating a contemporary and innovative feel.

Discreet security gates have been installed. Two escalators will provide access to the first-floor lobby area.

2.3 Lifts

The tower and podium are served by two separate passenger lift banks located in the main reception.

Lift car finishes are integrated with reception areas and office communal

Podium lifts

Serve levels 1–7 from the ground floor reception.

3No 20 person (1600kg) 2.5 m/s lifts.

Tower lifts

Double Decker Passenger lifts (upper and lower deck) travelling within four shafts servicing levels 7–27 from ground floor and mezzanine floor reception spaces.

4No Double Decker 24 person (1800kg) with a speed of 6 m/s.

Escalators

1.0kN/sq m 2No Escalators travelling between ground and mezzanine level.

Goods lift

A 2000kg goods li including basem

Fire Fighting

A 13-person (100 efighting lift serves all floors b

2.4 Cyclists' Facilities and Showers

365 secure cycle in the basement acce and reception via a lift and a 'Dutch ramp' staircase. A further 42 spaces are provided externally for visitors.

A further provision of 26 dedicated internal cycle spaces for retail are available

In addition, there is provision for a 32-bike cycle hire station adjacent on Bunhill Row.

30 shower cubicles (12 male, 12 female, and 6 unisex), 394 lockers, and drying rooms are provided in the basement adjacent to the cycle storage.

2.5 Loading Bay

The loading bay is shared between the office and retail spaces. It has capacity for a large refuse vehicle or 10m rigid lorry (4.3m max headroom), a 7.5t box van or two panel vans.

The loading bay is linked to the office goods lift and refuse storage via two large capacity shuttle lifts.

There is a direct connection between the loading bay and the northern retail units.

2.6 Parking

Two on-street disabled parking spaces are available

2.7 Back of House Facilities

A post and fire control room is provided at ground floor, in addition to a manager's office, other store rooms and staff

2.8 Refuse

A central basement waste, recycling and storage area with compacting facilities is provided, which can be located between the goods lift serving all office floors and the shuttle lifts to the loading bay.

3.1 Planning Grid

1.524m (5 foot) grid to suit existing structure. This allows offices on either 3.048m (10 foot) or 4.572m

Level Occupancy

n per 8 sq m floors 1 to r by flo

and heating and cooling ed on an occupancy leve er 8 sg m throughout.

are unisex superloos

Means of escape is based on occupancy of 1 person per 6 sq m.

3.3 Office Floor Nominal **Dimensions**

Raised floor zone (including floor panel):

Slab to Slab Soffit (Storey)

L1-15	3350mm	2930mm	
L16-27	3350mm	3045mm	
L28	4800mm	4250mm	

Level	FFL to underside of MEP	FFL to Ceiling	
L1-27	2600mm	2550mm	
 L 28	3700mm	3600mm	

All target floor to ceiling/soffit height dimensions are subject to construction tolerances.

Floors L1-28

3.4 Cat A Offices

Fully accessible raised modular floor system consisting of 600mm x 600mm galvanized steel encased tiles mounted on adjustable pedestals, medium grade.

Walls L1-28

Plasterboard with emulsion paint finish. Painted flush MDF skirtings with shadow gap detailing or expressed concrete.

Ceilings Typical Podium L1-L6: Concrete Super Structure

Concrete soffit and exposed services with an option to provide a plasterboard

Ceilings Typical Tower L7-L15: Concrete Super Structure

Concrete soffit and exposed services with plasterboard margin to perimeter.

Ceilings Typical Tower L16-L28: Steel Super Structure

Profiled steel deck soffit with plasterboard margin to perimeter and a zoned steel mesh suspended ceiling.

Doors L1-28

frames with sh ap detailing frames to ris doors and cor

oated frames: full height sealed e glazed.

3.5 Wired Score Level

3.6 WELL Standard

HYLO is officially registered to pursue WELL Core and Shell certification, with an ambitious target to achieve GOLD rating.

3.7 Toilets / Toilet Lobbies Finishes

Floors

Large format porcelain tiles.

Plasterboard with matt paint finish to lobbies, three-quarter height ceramic tiled walls to toilets.

Ceilings

Painted plasterboard on a suspended grid.

Doors

Solid core with satin paint finish. Flush frames with shadow gap detailing to main doors and concealed frames to riser

Fittings

White ceramic WCs and basins, matt black plated taps and exposed traps. Matt black fittings.

3.8 Stairs

Stairs

Precast concrete with cast-in nosings.

Landings

Non-slip floor finish to match stairs.

Walls

Sealed slip form concrete.

Ceilings Precast concrete. Doors

Solid core with satin paint finish. Flush frames with shadow gap detailing to main doors and concealed frames to riser doors.

4.1 Cat A Offices Systems

Air conditioning by four pipe ceiling mounted fan coil units fed from central heating and chilled water systems.

Fresh air to podium levels (L1-L6) are supplied ion unit

ng of LT nd chilled water allow h podium level and a ancies

2 Cat A Offices Performance

ternal design conditions

30°C db, 20 -4.0°C sat

Internal design conditions

Summer:	23°C + 2°C
Winter:	21°C ± 2°C
Circulation and toilets	18°C ± 2°C
(heating only):	
Showers and changing rooms:	:24°C ± 2°C

Ventilation rates

Cat A Offices	12I/s/person
	(+10% for meeting rooms)
Reception:	12l/s/person
Toilets:	8ac/hr extract
Showers and	12ac/hr extract
changing rooms:	10ac/hr supply

Heat gains

Small power equipment:	25W/sq m
Lighting:	10W/sq m

Noise

Cat A offices (open plan):	NR38
Reception and circulation:	NR40
Toilets, showers, changing rooms:	NR45

Future tenant kitchen

Gas facility and provision for kitchen extract riser to podium roof level to suit office kitchen. Extract provision from any podium office level (north core).

5.1 Design Criteria Lighting

Cat A office areas: 300lux Reception (desk area): Toilets, showers, changing rooms: 200lux Stairs: 100lux

Electrical Loadings

Lighting:	10W/sq
Small power (locally):	25W/sq m
Small power:	15W/sq m

5.2 Lighting

Office accommodation incorporates high efficiency low energy LED fittings arranged to give a standard service illumination of 400-500lux, compatible with CIBSE LG7 guide. Lighting is controlled by dimmable lighting control system with photocells and/or presence detectors.

5.3 Low Voltage Installation

Rising main bus bars systems for tenants' loads with tenants' distribution boards including small power miniature circuit breakers.

5.4 Metering

rical services d oution allows cies on each podium level and n tower levels

metering for tenants' and la all with remote reading and via t

5.5 Voice/Data

Duplicate communications/data risers to each demise are provided equipped with cable trays for fibre cable from incoming telecom rooms, to allow for tenants' voice/data requirements.

5.6 Emergency Lighting

Incorporated within the primary luminaries with integral battery packs to meet BS5266 recommendations and the requirements for means of escape

5.7 Emergency Power

A generator has been installed to provide backup power to life safety equipment.

The life safety generator also provides an allowance for podium office tenants' comms room backup of 500W per sq m over 3% of the

Tenants' SERs on tower levels will have battery powered UPS as part of tenant fit out.

The building has power resilience via two separate incoming feeds.

6.1 Sprinklers

The entire building has been sprinklered to BS EN 12845. Wet risers are provided in the north, east and south cores.

6.2 Fire Detection and Alarm

An automatic fire detection system linked to mechanical and lift services complying with BS5839 will be provided.

6.3 Access Control System

A card/fob type access control system linked to external doors, security access system and the lift control system will be installed.

6.4 CCTV System

A CCTV system provides monitoring of landlord's areas internally including entrances and exits. External areas in the immediate vicinity are also covered.

6.5 Lightning Protection

s been installed.

Retail Un<mark>its</mark>

l space has arranged in two fsubdivis o six units. The n end hav ct rear access to g bay. The units are provided with sho

front glazing and completed to shell and core.

7.2 Floor Loading

Retail areas: 3.0kN/sq m 1.0kN/sq m Partition load: Ceiling and services: 2.0kN/sq m

7.3 Clear Heights -**Ground Floor Retail Space**

100mm allowance for tenants floor finishes. 4650mm finished floor level to

structural soffit

7.4 Retail Services

Capped off metered services are provided. These will include:

CONTACT

- Electricity
- LTHW heating - Chilled water
- Sprinklers
- Telecoms containment - Link to fire alarms

Provision for gas if requested to a max of two A3 units.

Ventilation generally via louvres on façade. Provision for two units to have kitchen extract risers to podium roof level.

8.1 Targets

Excellent CO2 Emissions: 35% below 2013 PartL FPC: A rating

8.2 Facilities

and coo r (CHP) water h

Yeah!

HYLO, 105 Bunhill Row, London EC1Y 8LZ

Please contact the joint agents for more information.



James Strevens +44 (0)7824 414 682 james.strevens@realestate.bnpparibas

Alastair Robinson +44 (0)7717 504 438 alastair.robinson@realestate.bnpparibas



Tim Plumbe +44 (0)7768 146 280 tim.plumbe@cushwake.com

Tom Fayers +44 (0)7973 821 247 tom.fayers@cushwake.com

Joel Randall +44 (0)7525 897 012 joel.randall@cushwake.com



Shaun Simons +44 (0)7788 423 131 ss@compton.london

Elliott Stern +44 (0)7834 918 700 es@compton.london

Emma Higgins +44 (0)7769 605 295 eh@compton.london





